

Date : 22-May-2023

Page : 1 of 7

TEST REPORT

APPLICANT

ADDRESS

SAMPLE DESCRIPTION

ITEM NO.

MANUFACTURER

COUNTRY OF ORIGIN

SAMPLE RECEIVED DATE

FURTHER INFORMATION DATE

TURN AROUND TIME

Folding Chair

China

27-Apr-2023

22-May-2023

27-Apr-2023 to 22-May-2023

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

TEST REQUESTED	TEST METHOD/REGULATION	RESULT
Outdoor furniture Seating and tables for camping, domestic and contract use Part2: Mechanical safety requirements and test methods for seating	EN 581-2:2015+AC: 2016	Pass (Except Clause 8.1)
Outdoor furniture Seating and tables for camping, domestic and contract use Part 1. General safety requirements	EN 581-1:2017	Pass

Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., 'Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to according email to chinacompletely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to chinacomplaint@eurofins.com and referring to this report number.



. R 5674.

Date 22-May-2023

Page: 2 of 7

Eurofins (Hangzhou) contact information

Customer service: <u>DeliaNie@eurofins.com/</u> +86 571 87203730 Sales specialist: <u>CookieZhang@eurofins.com/</u> +86 216 1819 181

Signed for and on behalf of

Eurofins Product Testing Service (Shanghai) Co., Ltd. Hangzhou Branch

Jack Ma

Lab Manager of 日室



Date : 22-May-2023

Page : 3 of 7

SAMPLE PHOTO(S)



Δ





rt No. : Date : 22-May-2023

Page : 4 of 7

TEST RESULT

Outdoor furniture -- Seating and tables for camping, domestic and contract use -- Part2: Mechanical safety requirements and test methods for seating (EN 581-2:2015+AC; 2016)

1	Test	level:	Campin	a use
٠.	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10 101.	Campin	9 444

2)Height of the seating: __390___ mm.

3) Number of tested sample: ___1__ Piece

4) Test result: details as following tables

Clause	Test Items / Requirement	Rating
6	Safety, strength and durability requirements for loungers	.
6.1	General Before and after the strength, durability and stability tests are carried out, the EN 581-1 requirements shall be fulfilled.	N/A
6.2	Stability, strength and durability	
6.2.1	Test sequence and parameters The lounger shall be tested following the order listed in Table 1.	N/A
	Requirements The safety, strength and durability requirements are fulfilled after testing in accordance with Table 1 when:	
6.2.2	a) there are no fractures of any joint, member or component, b) there is no loosening of joints intended to be rigid, c) the lounger fulfils its function after removal of the test loads,	N/A
	d) the product shall not overturn when subjected to the stability	1
7	Safety, strength and durability requirements for other se	eaung
7.1	General Before and after the strength, durability and stability tests are carried out, the requirements of EN 581-1 shall be fulfilled.	Pass (See Appendix 1)
7.2	Stability, strength and durability	
7.2.1	Test sequence and parameters The seating shall be tested for strength, durability and stability following the order listed in Table 2.	Test Result See Appendix 3
	Requirements The safety, strength and durability requirements are fulfilled after testing in accordance with Table 2 when:	
7.2.2	a) there are no fractures of any joint, member or component,b) there is no loosening of joints intended to be rigid,c) the seating fulfils its function after removal of the test loads,	Pass (See Appendix 3)
	d) the seating fulfils the safety requirements, e) the product shall not overturn when subjected to the stability tests.	
8	Information for use	



Date : 22-May-2023

Page : 5 of 7

TEST RESULT

Clause	Test Items / Requirement		Rating
	General		
	Instruction for use shall be provided in the language(s) of the	
• 1	country where the seating are sold. These instruction		
	headed "IMPORTANT, RETAIN FOR FUTURE REF		
1	READ CAREFULLY" in letters no less than 5 mm high		
	the following information are permanently marked on	the product.	
1	It shall contain at least the following details:		
	a) name and address of the manufacturer/supplier/re	etailer;	
.1	b) conditions for use of the product (domestic, campi	ng or	N/C
	contract).		and the second
	If applicable:		
*	c) assembly instructions;		
4.1	d) instructions for the care and maintenance of the s	eating;	
- !	e) if the seating is fitted with seat height adjustments		and the second s
:	accumulators, an additional note is required pointing		
	trained personnel may replace or repair seat height a	adjustment	i
	components with energy accumulators.		
	Marking for loungers		
	Loungers equipped with wheels, but not intended to	be lifted and	
	moved with a person in it shall be permanently mark		1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	pictogram as shown in Figure 2. The smallest dimen		
	pictogram shall not be less than 25 mm.		
			4
			, J
7			N/A
.2			IN/A
		1	
	<u>1</u>	¥.5.	i
		3.73	<u> </u>
	A STATE OF THE STA	e este feet t	
	Figure 2 — Pictogram	!	

Appendix 1: Outdoor furniture -- Seating and tables for camping, domestic and contract use -- Part 1. General safety requirements (EN 581-1:2017):

Clause	Test Method/Requireme	nt	Rating	1 1 -
5	Safety requirements		:	
5.1	Genera		Pass	
5.2	Tubular components.	4.4	Pass	
5.3	Shear and squeeze points			
5.3.1	Shear and squeeze points when erecting, folding away	adjusting and	Pass	1
5.3.2	Shear and squeeze points under the influe	ence of powered	N/A	

TO BE CONTINUED

Co. p



Date : 22-May-2023

Page: 6 of 7

TEST RESULT

Clause		Test Method/Requirement		Rating	
10.50	mechanisms				
5.3.3	Shear and sque	eze points during use	a di seri	Pass	

Appendix 2 Test results of loungers (according to EN 581-2:2015+AC: 2016, EN 1022:2005 determination of stability and EN1728:2012 Furniture –seating-test methods for the determination of strength and durability

•				
Clause	Test Items/ Requirement		Rating	<u> </u>
	Table 1 — Test sequence and test parameters for	loungers		
1: ,	EN 1728:2012, 8.2 Seat and back static load test		N/A	
2	EN 1728:2012, 8.3 Additional seat and leg rest static load	test	N/A	-
3	EN 1728:2012, 8.4.1 Seat and back durability test	. · . £ . j.	N/A	1
4	EN 1728:2012, 8.4.2 Additional seat durability test		N/A	
5	EN 1728:2012, 8.5 Durability test on back rest mechanism	1.	N/A	
6	EN 1728:2012, 8.6 Arm rest static load test		N/A	
7	EN 1728:2012, 8.7 Arm rest durability test		N/A	
8	EN 1728:2012, 8.8 Impact test	: '	N/A	1
9	EN 1728:2012, 8.9 Lifting test for mobile loungers	4	N/A	
10	A.1.2 Forward stability		N/A	
	EN 1022:2005, Rearward stability	. 150 A. V.	N/A	
11	6.6 for upright position and 7.5 for most reclined position			
12	A.1.1 Sideways stability		N/A	



Date : 22-May-2023

Page : 7 of 7

TEST RESULT

Appendix 3 Test results of seating (according to EN1728:2012 Domestic furniture –seating-test methods for the determination of strength and durability and EN 1022:2005 determination of stability

Clause	Test Items/ Requirement	Rating
	Table 2 — Test sequence and test parameters for other seating	
1	EN 1728:2012, 6.4 Seat static load and back static load test	Pass
2	EN 1728:2012, 6.5 Seat front edge static load	Pass
3	EN 1728:2012, 6.17 combined Seat and back durability test	Pass
4	EN 1728:2012, 6.19 Durability test on seating with a multiposition back rest	Pass
5	EN 1728:2012, 6.11 Arm rest static load test	N/A
6	EN 1728:2012, 6.20 Arm rest durability test	Pass
7	EN 1728:2012, 6.15 Leg forward static load test	Pass
8	EN 1728:2012, 6.16 Leg sideways static load test	Pass
9	EN 1728:2012, 6.24 Seat impact test	Pass
10	EN 1728:2012, 6.8 Foot rest static test	N/A
11	EN 1022:2005, Forward stability	Pass
12	EN 1022:2005, Rearward stability	Pass
13	EN 1022:2005, Nearward stability	Pass

Remark:

N/A=Not applicable;

N/C=Not conducted due to without information provided