

# SD3600 USB 3.0 Universal Docking Station

Part Number: K33991WW  
UPC Code: 85896339915



Preserve the convenience of one-cable connectivity to your entire desktop setup with the SD3600 Universal Docking Station. We all take our laptops to meetings. With a universal dock from Kensington you can disconnect and reconnect your dual HD monitors, mouse, keyboard and all your other peripherals with a single USB cable. Plus, the dock is capable of mounting to the back of a monitor, leaving zero footprint on your desktop.

## FEATURES

- Dual HD Video Output
- Zero Footprint Mounting
- Extend or Mirror Modes
- Two Front USB 3.0 Ports
- Four Rear USB 2.0 Ports
- Display Setting Software
- Gigabit Ethernet Port


## BENEFITS

- **Single Cable Connectivity**
  - One cable connection from laptop to all peripherals on user's desk
- **Maximize Workspace Desk**
  - Reduce desktop cable clutter by mounting the dock behind a VESA compatible monitor
- **More Display Productivity**
  - Add up to two external monitors to increase work productivity

## FRONT OF THE DOCK



## BACK OF THE DOCK



# Technical Specifications

---

## SYSTEM REQUIREMENT

- **Plug & Play:** No, software installation required. Download the driver at [software.kensington.com](http://software.kensington.com)
- **Operating Systems Supported:** Windows 7, 8, 8. 1, 10
- **System Resource Requirement:**
  - CPU: Dual-Core i3 2.8GHz or better
  - RAM: 2GB or higher

## HOST CONNECTIVITY

- **Host Docking Connector:** USB 3.0 Type-B

## VIDEO CONNECTIONS

- **Video Connectors:**
  - HDMI
  - DVI-I
  - VGA (supported with included DVI to VGA adapter)
- **Maximum Resolution Supported:**
  - Single Monitor: 2560 x 1600
  - Dual Monitors: 2048 x 1152
- **HDCP Support:** Yes

## AUDIO CONNECTIONS

- **Audio Connectors:**
  - 3.5mm audio for headphone/speaker
  - 3.5mm audio for microphone
- **Audio Channels Supported:** up to 5.1

## USB CONNECTIONS

- **USB 2.0 Ports:** 4, back panel, speed up to 480Mbps
- **USB 3.0 Ports:** 2, front panel, speed up to 5Gbps
- **USB-C Ports:** N/A
- **Fast Charging:** N/A

## NETWORK CONNECTIONS

- **Ethernet Port:** RJ45
- **Compatible Ethernet Speeds:** 10/100/1000 Mbps

## SECURITY AND MOUNTING

- **Kensington Security Slot:** Yes
- **VESA Mount Compatible:** Yes, VESA mounting plate (K33959WW) sold separately

## PRODUCT DIMENSIONS

- **Unit Dimensions:**
  - Width: 198mm (7.8in)
  - Length: 80mm (3.1in)
  - Height: 34mm (1.3in)
- **Desktop Footprint:** 158 cm<sup>2</sup> (24 in<sup>2</sup>); zero if mounted behind VESA compatible monitor
- **Unit Weight:** TBD
- **Enclosure Color and Material:** Black ABS

## PACKAGING DIMENSIONS

- **Packaging Style:** Brown Box
- **Packaging Dimensions:**
  - Width: 249mm (9.8in)
  - Length: 165mm (6.5in)
  - Height: 84mm (3.3in)
- **Packaging Weight:** TBD
- **Package Content:**
  - One Kensington SD3600 Dock
  - One USB 3.0 A to B Cable, 1m (3ft)
  - One Power Adapter with changeable US/EU/UK/AU power prongs included
  - One DVI-HDMI Adapter
  - One DVI-VGA Adapter
  - Quick Start Guide
  - Warranty Information

## POWER & ENVIRONMENTAL

- **Power Adapter Rating:**
  - Input: 100-240V~50/60Hz; 0.8A
  - Output: 5V DC; 4A, positive center polarity
- **Operating Temperature:** 10 to 40 °C (50 to 104 °F)
- **Storage Temperature:** -10 to 80 °C (14 to 176 °F)
- **Relative Humidity:** 5% to 95% non-condensing

## COUNTRY OF ORIGIN, REGULATORY, AND WARRANTY

- **Country of Origin:** China
- **Certifications and Compliance:** FCC, CE, C-Tick, REACH, WEEE, RoHS
- **Warranty:** 2-Years worldwide