



# NOBO Whiteboard Marker Ink

## SAFETY DATA SHEET

Date of Issue: 23-09-2022

Date of Revision: 23-09-2022

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product Name Nobo Whiteboard Marker Ink  
Product code 1901072, 1901073, 1901077, 1902408, 1901419, 1902076, 1902077, 1902081, 1902091, 1902096, 1902162, 1903792, 2104184, 1903798, 1901430, 1905330, 34438861, 1903775, 1903822, 1915377, 1915378, 1915379, 1915380, 1915381, 1915382, 1915383, 1915384, 1915385, 1915386, 1915387, 1915388, 1915389, 1915390, 1915391, 1915393, 1915264, 1915265, 1915266, 1915267, 1915268, 1915392, 1915444

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Preparation for use in writing instruments.  
Uses Advised Against Not known.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer  
Company Identification Acco UK Ltd.  
Oxford House, Oxford Road,  
Aylesbury, Bucks,  
HP21 8SZ.  
Telephone +44 (0) 844 209 8360  
Fax +44 (0) 845 603 1731  
E-mail [informationeurope@acco.com](mailto:informationeurope@acco.com)  
Website [www.acco.co.uk](http://www.acco.co.uk)  
Office hours 09:00 - 17:00  
Supplier  
Company Identification Esselte SAS  
9 avenue Edouard Belin  
92566 Rueil-Malmaison Cedex  
France  
Telephone +33 (01) 49 68 13 00  
E-mail [contactfrance@acco.com](mailto:contactfrance@acco.com)  
Website [www.esselte.com](http://www.esselte.com)  
Office hours 09:00 - 17:00

#### 1.4 Emergency telephone number

Company (United Kingdom) +44 (0) 844 209 8360 (09:00 - 17:00)  
Company (France) +33 (01) 49 68 13 00 (09:00 - 17:00)  
NHS Direct +44 111

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture


Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 2 :Highly flammable liquid and vapour.  
Eye Irrit. 2 :Causes serious eye irritation.  
Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects.

### 2.2 Label elements


According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Nobo Whiteboard Marker Ink


Hazard Pictogram(s)



GHS02



GHS07



GHS09

Signal Word(s) Danger

Hazard Statement(s)  
H225: Highly flammable liquid and vapour.  
H319: Causes serious eye irritation.  
H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P370+P378: In case of fire: Use water spray, foam, dry powder or CO<sub>2</sub> to extinguish.  
P501: Dispose of contents in accordance with local, state or national legislation.

### 2.3 Other hazards

None known.

### 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable.

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Ethanol	64-17-5	200-578-6 01-2119457610-43-XXXX	60-70	Flam. Liq. 2 H225 Eye Irrit. 2 H319	GHS02 GHS07
Propan-2-ol	67-63-0	200-661-7 01-2119457558-25-XXXX	10-20	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07
Bis(2-ethylhexyl) maleate	142-16-5	205-524-5 01-2119524002-60-XXXX	1-10	STOT RE 2 H373 Aquatic Chronic 1 H410	GHS08 GHS09
Poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-(octyloxy)-	31800-88-1	688-486-6	<0.5	Skin Corr. 1 H314 Eye Dam. 1 H318	GHS05



# NOBO Whiteboard Marker Ink

## SAFETY DATA SHEET

Date of Issue: 23-09-2022

Date of Revision: 23-09-2022

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit		M-factor	ATE
Ethanol	64-17-5	Eye Irrit. 2	C>= 50.00 <= 100.00		

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water. If symptoms occur obtain medical attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Wash out mouth with water. If symptoms persist, obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing media	Use water spray, foam, dry powder or CO <sub>2</sub> to extinguish.
Unsuitable extinguishing media	Water jet spray

#### 5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide.

#### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Water spray should be used to cool containers.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear suitable protective clothing, gloves and eye/face protection. Wash hands and exposed skin thoroughly after handling.

#### 6.2 Environmental precautions

Avoid release to the environment.

#### 6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Collect spillage. Transfer to a container for disposal.

### 6.4 Reference to other sections

See Also Section 8, 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Provide adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Keep container tightly closed. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Keep out of reach of children.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep cool.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

Alkaline metal, Alkaline earth metal, Strong oxidising agents, Nitric acid, Sulphuric acid, Peroxides.

### 7.3 Specific end use(s)

Preparation for use in writing instruments.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Ethanol	64-17-5	1000	1920			
Propan-2-ol	67-63-0	400	999	500	1250	

Source

UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020), United Kingdom

### 8.2 Exposure controls

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

#### 8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).  
Recommended: Butyl rubber (0.5 mm), Fluorocarbon rubber (0.4 mm)  
Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection

Normally no personal respiratory protection is necessary. Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.

Recommended: A suitable mask with filter type A may be appropriate.



Thermal hazards

Not applicable.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Various colours.
Odour	Not known.
Melting point/freezing point	-114.5 °C
Boiling point or initial boiling point and boiling range	78.3 °C
Flammability	Not known.
Lower and upper explosion limit	Flammable Limits (Upper) (%v/v): 15 Flammable Limits (Lower) (%v/v): 3.5
Flash Point	12 °C
Auto-ignition temperature	425 °C
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Miscible Solubility (Other) : Miscible with most organic solvents.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not applicable.

### 9.2 Other information

None.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

Stable under normal conditions.

### 10.2 Chemical Stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

### 10.4 Conditions to avoid

Avoid friction, sparks, or other means of ignition.

### 10.5 Incompatible materials

Alkaline metal, Alkaline earth metal, Strong oxidising agents, Nitric acid, Sulphuric acid, Peroxides.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.



# NOBO Whiteboard Marker Ink

## SAFETY DATA SHEET

Date of Issue: 23-09-2022

Date of Revision: 23-09-2022

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Calculation method : Not classified. Low oral toxicity.
Acute toxicity - Skin Contact	Calculation method : Not classified. Low acute toxicity.
Acute toxicity - Inhalation	Calculation method : Not classified. Low acute toxicity.
Skin corrosion/irritation	Calculation method : Not classified. Non-irritant.
Serious eye damage/irritation	Calculation method : Causes serious eye irritation. No data.
Skin sensitization data	Calculation method : Not classified. It is not a skin sensitiser.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified. There is no evidence of mutagenic potential.
Carcinogenicity	Calculation method : Not classified. No evidence of carcinogenic effects.
Reproductive toxicity	Calculation method : Not classified. No evidence of reproductive effects.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

#### 11.2 Information on other hazards

Not known.

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

	Toxic to aquatic life with long lasting effects.
Toxicity - Aquatic invertebrates	No data.
Toxicity - Fish	No data.
Toxicity - Algae	No data.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

#### 12.2 Persistence and degradability

Part of the components are biodegradable.

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

Miscible with water. The product is predicted to have high mobility in soil.

#### 12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

#### 12.6 Endocrine disrupting properties

None known.



# NOBO Whiteboard Marker Ink

## SAFETY DATA SHEET

Date of Issue: 23-09-2022

Date of Revision: 23-09-2022

### 12.7 Other adverse effects

Not known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

### 13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 UN number or ID number

UN No. 1993

### 14.2 UN proper shipping name

UN proper shipping name FLAMMABLE LIQUID, N.O.S. (Contains: Ethanol, Propan-2-ol)

### 14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class	3
ADR Classification Code	F1
Special Provisions	274, 601, 640D
Limited Quantities	1 L
Excepted Quantities	E2
Emergency Action Code	•3YE
Mixed Packing Instructions for Packages	P001 IBC02 R001
Mixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP1 TP8 TP28
Tank Code for Tanks	LGBF
Vehicle for Tank Carriage	FL
ADR Transport Category	2
Tunnel Restriction Code	D/E
Special Provisions for Carriage - Operation	S2 S20
ADR HIN	33
IMDG	
IMDG Class	3
Special Provisions	274, 601, 640D
Limited Quantities	1 L
Excepted Quantities	E2
Mixed Packing Instructions for Packages	P001 IBC02 R001
Packing Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP1 TP8 TP28
IMDG EMS	F-E, S-E
Stowage and Handling	Category B

ICAO/IATA

IATA Proper Shipping Name	FLAMMABLE LIQUID, N.O.S. (Contains: Ethanol, Propan-2-ol)
Excepted Quantities	E2
Passenger and Cargo Aircraft Limited	Y341
Quantities Packing Instructions	
Passenger and Cargo Aircraft Limited	1L
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	353
Instructions	
Passenger and Cargo Aircraft Max net	5L
Qty	
Cargo Aircraft Packing Instructions	364
Cargo Aircraft Max net Qty	60L
Special Provisions	A3
Emergency Response Guidebook (ERG)	3H
Code	
Labels	
Labels	3



**14.4 Packing group**

Packing group II

**14.5 Environmental hazards**

Environmental hazards Classified as a Marine Pollutant.

**14.6 Special precautions for user**

Special precautions for user Not known.

**14.7 Maritime transport in bulk according to IMO instruments**

No information available

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Ethanol (64-17-5), Propan-2-ol (67-63-0), Bis(2-ethylhexyl) maleate (142-16-5), Poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-(octyloxy)- (31800-88-1)

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

European Parliament and of the Council on persistent organic pollutants



Regulation (EC) N° 1005/2009 on Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the Not listed

European Parliament and of the Council  
concerning the export and import of  
hazardous chemicals

**National regulations**

Wassergefährdungsklasse (Germany) WGK number 3 (highly hazardous to water)

**15.2 Chemical Safety Assessment**

Not applicable.

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

1-16

**LEGEND**

Hazard Pictogram(s)



GHS02



GHS07



GHS09

GHS05: GHS: Corrosion

GHS08: GHS: Health hazard

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2

Skin Corr. 1 : Skin corrosion/irritation, Category 1

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H373: May cause damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.



# NOBO Whiteboard Marker Ink

## SAFETY DATA SHEET

Date of Issue: 23-09-2022

Date of Revision: 23-09-2022

P242: Use non-sparking tools.  
P243: Take action to prevent static discharges.  
P264: Wash hands and exposed skin thoroughly after handling.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P370+P378: In case of fire: Use water spray, foam, dry powder or CO<sub>2</sub> to extinguish.  
P391: Collect spillage.  
P403+P235: Store in a well-ventilated place. Keep cool.  
P501: Dispose of contents in accordance with local, state or national legislation.

### Acronyms

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE : Acute Toxicity Estimate  
CAS : Chemical Abstracts Service  
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  
EC : European Community  
IATA : International Air Transport Association  
IBC : Intermediate Bulk Container  
ICAO : International Civil Aviation Organization  
IMDG : International Maritime Dangerous Goods  
LTEL : Long term exposure limit  
PBT : Persistent, Bioaccumulative and Toxic  
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail  
STEL : Short term exposure limit  
STOT : Specific Target Organ Toxicity  
UN : United Nations  
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Acco UK Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Acco UK Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.